



# America's Best Inoculant®

The high yield leader.

## Seed Treatment Compatibility & Planting Window Recommendations

### ABI Extender PLUS America's Best Inoculant® PLUS pesticide: Maximum Planting Window Allowed After Inoculant Application

Liquid Inoculant formulations WITH ABI EXTENDER	Pesticide(s)*	In Tank Slurry*	Maximum Planting Window (Weeks)			
			1 Week	2 Weeks	3 Weeks	4 Weeks
Liquid Inoculant  or  Concentrate Liquid Inoculant	(No Pesticide)	24 hours		<b>4 Weeks</b>		
	Apron-Maxx® RTA Apron-Maxx® RFC Cruiser-Maxx® Pak**	4 hours		<b>4 Weeks</b>		
	Warden® RTA					
	plus ABI Extender	Trilex® Series	4 hours		<b>3 Weeks</b>	

### America's Best Inoculant® PLUS pesticide: Maximum Planting Window Allowed After Inoculant Application

Liquid Inoculant formulations WITHOUT Extender	Pesticide(s)*	In Tank Slurry	Maximum Planting Window (Days)						
			1 Day	2 Days	3 Days	4 Days	5 Days	6 Days	7 Days
Liquid Inoculant  or  Concentrate Liquid Inoculant	(No Pesticide)	24 hours					<b>7 Days</b>		
	Apron-Maxx® RTA Apron-Maxx® RFC Cruiser-Maxx® Pak	4 hours					<b>5 Days</b>		
	Trilex® Series Warden® RTA								

### America's Best Inoculant® PLUS pesticide: Maximum Planting Window Allowed After Inoculant Application

Dry inoculant formulations:	Inoculant Only	Inoculant plus one of: Apron-Maxx® RTA, Apron-Maxx® RFC, Cruiser-Maxx® Pak**, Trilex® Series or Warden® RTA
Non-sterile Peat Soybean	Plant within 24 hours of application	Plant within 4 hours of application
Sterile Peat Soybean	Plant within 24 hours of application	Plant within 3 days of application

**Precautions:** Store treated seed in cool place, out of direct sunlight. Always use non-chlorinated water for pesticide dilutants when mixing with inoculants. Read and follow all label directions.

\*Trademarks or registered trademarks of their respective owners, marketers or manufacturers.